



# PERIPrem Perinatal Passport




This checklist must be completed for all births <34/40 and must accompany the baby on transfer to NNU

Time of birth: __: __	Gestation:        /40
Type of birth:	Birth weight:    g
Time of admission to NNU: __: __	
Apgars:     @1   @5   @10	

Name:  
DOB:  
Hosp No:  
NHS No:  
Or patient sticker here

## 1. Place of Birth:

Tertiary unit if <27/40, EFW <800g  
or multiple pregnancy <28/40



Born in a maternity centre with a NICU? Y / N

If not, why was intrauterine transfer not achieved?

## 2. Antenatal Steroids:



Dexamethasone / Betamethasone (<34 weeks)  
Full course (2 doses 12-24hrs apart)? Y / N

Date and time of last dose: \_\_ / \_\_ / \_\_\_\_ : \_\_

## 3. Magnesium Sulphate: (if <30 weeks)



Given? Y / N

Date and time of last dose: \_\_ / \_\_ / \_\_\_\_ : \_\_

#### 4. Early Breast Milk: (a)



Antenatal counselling and advice for mother re benefits of EBM and early & frequent expressing? Y / N

Given Early Breast Milk information leaflet? Y / N  
\_\_/\_\_/\_\_\_\_:\_\_

Hand expressing demonstrated or assisted? Y / N  
\_\_/\_\_/\_\_\_\_:\_\_

Mother helped to express <1hr after delivery? Y / N  
\_\_/\_\_/\_\_\_\_:\_\_

#### 5. Antibiotic Prophylaxis



Required? Y / N                      Given? Y / N

Given > 4hrs pre birth? Y / N

#### 6. Optimal Cord Management (OCM):



Time of OCM: \_\_ : \_\_ (minutes and seconds)

Airway & Breathing support during OCM:

Thermal Care interventions during OCM:

If no OCM, reason why:


#### 7. Thermal Care:



Admission Temp:                      °C

Time taken: \_\_ : \_\_

## 8. Respiratory Management:



Volume targeted/volume guided ventilation (if invasively ventilated)?  
Y / N / NA

## 9. Caffeine:

(<30 weeks but consider up to 32-34 weeks)



Time of administration  
(within 6h admission): \_\_ : \_\_

## 4. Early Breast Milk: (b)



Date & time Colostrum first available: \_\_ / \_\_ / \_\_\_\_ : \_\_

Date & time Colostrum given to baby: \_\_ / \_\_ / \_\_\_\_ : \_\_

## 10. Probiotics:

(<32 weeks or <1.5kg)



Probiotics started with non-nutritive feeds? Y / N / NA

\_\_ / \_\_ / \_\_\_\_ : \_\_

## 11. Prophylactic Hydrocortisone:

(<28 weeks)



0.5mg/kg BD started on Day 0? Y / N / NA

\_\_ / \_\_ / \_\_\_\_ : \_\_